

E616S-A

www.alphaswift.com



hello@alphaswift.com

+60 14 946 4896

Agricultural Sprayer Hexacopter

Structure

Material: Carbon Fiber Wheelbase: 1628mm Unfolded size: 1720 * 1500 * 556 mm Folded size: 1073 * 956 * 546 mm Water resistance: IP64



Propulsion

Motor: XRotor Pro X8 KV100 Propellers: 30 inch Max Thrust: 15 kg per motor

LiPo: 12S 22000 mAh

Performance

Operating Temperature: 0 - 45 Celcius Navigation System: GPS, Obstacle Avoidance, Terrain Following Navigation Sensors: GPS Antenna, Camera, Radar, RTK GPS (Optional) Failsafe RTL Condition: Low Pesticide, Low Battery, Transmission Loss Ease of Use: Save Last Position, Auto Flowrate Calculation, Geofence, Auto Waypoint Following, Real-time Data, Night Light (Optional)

> Empty Weight: 7 kg (w/o battery & payload) Max. Take-off Weight: 45 kg @ sea level Standard Take-off Weight: 38 kg Hovering Time: 30 mins w/o payload, 13 mins w/ 16 L Max. Operation Speed: 10 m/s Max. Flying Speed: 15 m/s Wind Resistance: Scale 6, 13 m/s

Spray System

Volume: 16 L (Water), 22 L (Granule) Flowrate: 0.8 - 2 L/min Adjustable Swath: 4 - 6 m Sprayer: 4 Nozzle Mist Sprayer System, Granules Sprayer System





Autopilot Software

Ease of Use:

AutoRoute Formation, Spray Area Calculation, Autonomous Operation, Flowrate Monitoring



From RM 29,900 to RM 40, 400

Remote Control

Operating Frequency: 2.4 GHz

Max Range: 2 km









Advantages of Drone Sprayer

✓ Faster

Up to 50 Hectare a day

✓ High Efficiency

Ultrafine droplets with powerful spraying penetrates the crops

✓ Save cost

Reduce up to 30% of pesticide usage, save cost

More even

Automatic spraying mission with automatic spray pump control

✓ Safer

No more human contact with harmful chemicals

✓ Healthier

Less pollution to the rivers and land

✓ Comfortable

Drones help to reduce work, less time under the hot sun

✓ Reliable Technology

Used by plenty of countries such as China, Japan, USA and Malaysia



Services

Maintenance, repair and overhaul provided Spare parts are in stock



Address

07-2A, Kenwingston Business Centre, Persiaran Bestari, Cyber 9, 63000 Cyberjaya, Selangor



Contact Number

+603 8311 9385



Email Address

hello@alphaswift.com



Scan here to get further details